Colorectal Cancer Screening (COL-E)

Description of Measure

Percentage of patients 50 – 75 years of age as of Dec. 31, measurement year (MY), as of who had appropriate screening for colorectal cancer: colonoscopy, CT colonography, flexible sigmoidoscopy, FIT-DNA, or fecal occult blood test (FOBT).

Documentation

Screening Test	Frequency
Fecal Occult Blood (FOBT)	Annually
Cologuard/ FIT-DNA	Every three years, 2 years prior through MY
Flexible Sigmoidoscopy	Every five years, 4 years prior through MY
CT Colonography	Every five years, 4 years prior through MY
Colonoscopy	Every ten years, 9 years prior through MY

- Member reported completed specified colon cancer screening with DOS.
- Notation of a completed specified colon cancer screening with DOS as part of the medical history. Health maintenance and preventive care sections are considered "history" sections.
- A pathology report that indicates the type of screening and the date meets criteria.
- Member refusal will <u>not</u> make them ineligible for this measure.
- Digital rectal exams (DRE) or FOBT test performed in the office setting will <u>not</u> meet compliance.

Test Type	Unknown	Guaiac (gFOBT)	FIT (iFOBT)	Unknown
Samples Returned	Unknown or 3 or >	Documented 3 or >	Any # or unknown	Documented 1 -2
Status	Compliant	Compliant	Compliant	Unacceptable Non-compliant



Exclusions

Exclusions	Time	limit
 Members who elect or use hospice services Member deceased Members receiving palliative care 	Any time during measureme	nt year (MY)
Colorectal cancerTotal colectomy	Anytime in member's history	through Dec. 31 MY
Members 66 years of age and older by Dec. 31 MY with Advanced Illness and Frailty. Members must meet BOTH frailty	 Frailty diagnosis on 2 different DOS during the MY Advanced Illness: Either of the following during the MY or PY Advanced illness diagnosis on 2 different DOS Dispensed a dementia medication 	
and advanced illness criteria to be excluded.	Dementia Med Description	Prescription
	Cholinesterase inhibitors	Donepezil Galantamine Rivastigmine
	Misc. CNS Agents	Memantine
	Combinations	Donepezil-memantine

Exclusion Codes

CPTII Code	Definition
Z85.038	Personal history of other malignant neoplasm of large intestine
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus
C18.0-9, C19-20, C21.2, C21.8, C78.5	Colorectal cancer, active

Strategies for Success	 If a patient has family history of colon cancer, encourage a colonoscopy instead of a Cologuard. Use the Annual Wellness visit to schedule screenings. Add screenings to annual assessment form/ EMR template. Implement a referral tracking process. For patients refusing colonoscopy, recommend a FIT-DNA or FOBT kit. Educate patients on preparation for the ordered tests.

Resources

I. National Committee for Quality Assurance, HEDIS® Measurement Year 2025 Volume 2 Technical Specifications for Health Plans

Arkansas Blue Medicare is an affiliate of Arkansas Blue Cross and Blue Shield. Arkansas Blue Cross and Blue Shield is an Independent Licensee of the Blue Cross and Blue Shield Association. © 2023 Arkansas Blue Cross and Blue Shield. All rights reserved.